

- Variables
- Missingness report
- Codebook table

Codebook

Code ▾

Code

Code

We collected the following data.

```
## Warning in detect_scales(codebook_data): A items found, but no aggregate
```

Code

Code

Metadata

Description

Code

Dataset name: codebook_data

Code

The dataset has N=177 rows and 138 columns. 1 rows have no missing values on any column.

► Metadata for search engines

Code

Variables

Code

Facility


Distribution

Summary statistics

Code

Code

Facility



25 missing values.

Variables

Missingness report

Codebook table


Distribution

Summary statistics

Code

Code

Code



Code

25 missing values.

TotalNC


Total NC

Distribution

Summary statistics

Code

Code



25 missing values.

Code


A10

Distribution

Summary statistics

Code

Code



25 missing values.


Code

@81a {#_81a .tabset}

- Variables
- 81a
- Missingness report
- Distribution {#_81a_distribution}
- Codebook table

Code

Code



Code

25 missing values.

Summary statistics {#_81a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@81a	81a	numeric	25	152	177	0.15	0.36	0	0	0	0	1		F1.0	12

Code

Code


Code

@81b {#_81b .tabset}

- 81b
- Distribution {#_81b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_81b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@81b	81b	numeric	25	152	177	0.31	0.46	0	0	0	1	1		F1.0	12

Code

Code

Code


@81c {#_81c .tabset}

81c

Distribution {#_81c_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_81c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@81c	81c	numeric	25	152	177	0.14	0.35	0	0	0	0	1		F1.0	12

Code

Code

Code


@81def {#_81def .tabset}

81def

Distribution {#_81def_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_81def_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@81def	81def	numeric	25	152	177	0.14	0.35	0	0	0	0	1		F1.0	12

Code

Code

Code


@111a1 {#_111a1 .tabset}

111a1

Distribution {#_111a1_distribution}

Code

Code



25 missing values.


Summary statistics {#_111a1_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@111a1	111a1	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@111b {#_111b .tabset}

111b

Distribution {#_111b_distribution}



Code

29 missing values.

Summary statistics {#_111b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@111b	111b	numeric	29	148	177	0.047	0.21	0	0	0	0	1		F1.0	12

Code

Code


Code

@113 {#_113 .tabset}

Distribution {#_113_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_113_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@113	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@14a {#_14a .tabset}

14a

Distribution {#_14a_distribution}

Code

Code



25 missing values.


Summary statistics {#_14a_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@14a	14a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@14b {#_14b .tabset}

14b

Distribution {#_14b_distribution}



Code

25 missing values.

Summary statistics {#_14b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@14b	14b	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@15a {#_15a .tabset}

15a

Distribution {#_15a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_15a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@15a	15a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

Code

Code

Code


@15b {#_15b .tabset}

15b

Distribution {#_15b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_15b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@15b	15b	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code


Code

@16 {#_16 .tabset}

Distribution {#_16_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_16_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@16	numeric	25	152	177	0.033	0.18	0	0	0	0	1		F1.0	12

Code

Code


Code

@17 {#_17 .tabset}

Distribution {#_17_distribution}

Code

Code



Code

26 missing values.

Summary statistics {#_17_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@17	numeric	26	151	177	0.06	0.24	0	0	0	0	1		F1.0	12

Code

Code

Code


@18a {#_18a .tabset}

18a

Distribution {#_18a_distribution}

Code

Code



29 missing values.


Summary statistics {#_18a_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@18a	18a	numeric	29	148	177	0	0	0	0	0	0	0		F1.0	12

@18b {#_18b .tabset}

18b

Distribution {#_18b_distribution}



Code

29 missing values.

Summary statistics {#_18b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@18b	18b	numeric	29	148	177	0.0068	0.082	0	0	0	0	1		F1.0	12

Code

Code

Code


@18c {#_18c .tabset}

18c

Distribution {#_18c_distribution}

Code

Code



Code

29 missing values.

Summary statistics {#_18c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@18c	18c	numeric	29	148	177	0.027	0.16	0	0	0	0	1		F1.0	12

Code

Code


Code

@19 {#_19 .tabset}

Distribution {#_19_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_19_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@19	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code


Code

@201 {#_201 .tabset}

Distribution {#_201_distribution}

Code

Code




25 missing values.

Summary statistics {#_201_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@201	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

@202 {#_202 .tabset}

Distribution {#_202_distribution}



Code

25 missing values.

Summary statistics {#_202_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@202	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0	12

Code

Code

Code


@21a {#_21a .tabset}

21a

Distribution {#_21a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_21a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@21a	21a	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@21b {#_21b .tabset}

21b

Distribution {#_21b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_21b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@21b	21b	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code


Code

@221 {#_221 .tabset}

Distribution {#_221_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_221_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@221	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code


Code

@222 {#_222 .tabset}

Distribution {#_222_distribution}

Code

Code




25 missing values.

Summary statistics {#_222_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@222	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

@23 {#_23 .tabset}

Distribution {#_23_distribution}




25 missing values.

Summary statistics {#_23_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@23	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@241 {#_241 .tabset}

Distribution {#_241_distribution}



Code

25 missing values.

Summary statistics {#_241_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@241	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@242a {#_242a .tabset}

242a

Distribution {#_242a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_242a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@242a	242a	numeric	25	152	177	0.18	0.38	0	0	0	0	1		F1.0	12

Code

Code

Code


@242b {#_242b .tabset}

242b

Distribution {#_242b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_242b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@242b	242b	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@25a {#_25a .tabset}

25a

Distribution {#_25a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_25a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@25a	25a	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0	12

Code

Code

Code


@25b {#_25b .tabset}

25b

Distribution {#_25b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_25b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@25b	25b	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code

Code


@26a {#_26a .tabset}

26a

Distribution {#_26a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_26a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@26a	26a	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@26b {#_26b .tabset}

26b

Distribution {#_26b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_26b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@26b	26b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

Code

Code

Code


@271a {#_271a .tabset}

271a

Distribution {#_271a_distribution}

Code

Code



25 missing values.


Summary statistics {#_271a_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@271a	271a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@271b {#_271b .tabset}

271b

Distribution {#_271b_distribution}



25 missing values.


Summary statistics {#_271b_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@271b	271b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@271c {#_271c .tabset}

271c

Distribution {#_271c_distribution}



Code

25 missing values.

Summary statistics {#_271c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@271c	271c	numeric	25	152	177	0.053	0.22	0	0	0	0	1		F1.0	12

Code

Code


Code

@272 {#_272 .tabset}

Distribution {#_272_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_272_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@272	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@28a {#_28a .tabset}

28a

Distribution {#_28a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_28a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@28a	28a	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0	12

Code

Code

Code


@28b {#_28b .tabset}

28b

Distribution {#_28b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_28b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@28b	28b	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0	12

Code

Code

Code


@28c {#_28c .tabset}

28c

Distribution {#_28c_distribution}

Code

Code



Code

87 missing values.

Summary statistics {#_28c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@28c	28c	numeric	87	90	177	0.011	0.11	0	0	0	0	1		F1.0	12

Code

Code

Code


@28d {#_28d .tabset}

28d

Distribution {#_28d_distribution}

Code

Code



Code

26 missing values.

Summary statistics {#_28d_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@28d	28d	numeric	26	151	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@29a {#_29a .tabset}

29a

Distribution {#_29a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_29a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@29a	29a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

Code

Code

Code


@29b {#_29b .tabset}

29b

Distribution {#_29b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_29b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@29b	29b	numeric	25	152	177	0.059	0.24	0	0	0	0	1		F1.0	12

Code

Code


Code

@30 {#_30 .tabset}

Distribution {#_30_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_30_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@30	numeric	25	152	177	0.17	0.38	0	0	0	0	1		F1.0	12

Code

Code


Code

@31 {#_31 .tabset}

Distribution {#_31_distribution}

Code

Code




25 missing values.

Summary statistics {#_31_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@31	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

@32 {#_32 .tabset}

Distribution {#_32_distribution}



25 missing values.


Summary statistics {#_32_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@32	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0	12

@33a {#_33a .tabset}

33a

Distribution {#_33a_distribution}



Code

25 missing values.

Summary statistics {#_33a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@33a	33a	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@33b {#_33b .tabset}

33b

Distribution {#_33b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_33b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@33b	33b	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0	12

Code

Code

Code


@34a {#_34a .tabset}

34a

Distribution {#_34a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_34a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@34a	34a	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@34b {#_34b .tabset}

34b

Distribution {#_34b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_34b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@34b	34b	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code

Code


@34c {#_34c .tabset}

34c

Distribution {#_34c_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_34c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@34c	34c	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code


Code

@351 {#_351 .tabset}

Distribution {#_351_distribution}

Code

Code



25 missing values.


Summary statistics {#_351_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@351	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@361a {#_361a .tabset}

361a

Distribution {#_361a_distribution}



Code

25 missing values.

Summary statistics {#_361a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@361a	361a	numeric	25	152	177	0.033	0.18	0	0	0	0	1		F1.0	12

Code

Code

Code


@361b {#_361b .tabset}

361b

Distribution {#_361b_distribution}

Code

Code



25 missing values.


Summary statistics {#_361b_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@361b	361b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@362a {#_362a .tabset}

362a

Distribution {#_362a_distribution}



Code

25 missing values.

Summary statistics {#_362a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362a	362a	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code

Code


@362bi {#_362bi .tabset}

362bi

Distribution {#_362bi_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362bi_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362bi	362bi	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@362bii {#_362bii .tabset}

362bii

Distribution {#_362bii_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362bii_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362bii	362bii	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@362biii {#_362biii .tabset}

362biii

Distribution {#_362biii_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362biii_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362biii	362biii	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0	12

Code

Code

Code


@362c {#_362c .tabset}

362c

Distribution {#_362c_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362c	362c	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code

Code


@362d {#_362d .tabset}

362d

Distribution {#_362d_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362d_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362d	362d	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0	12

Code

Code

Code


@362e {#_362e .tabset}

362e

Distribution {#_362e_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362e_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362e	362e	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@362fi {#_362fi .tabset}

362fi

Distribution {#_362fi_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362fi_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362fi	362fi	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@362fii {#_362fii .tabset}

362fii

Distribution {#_362fii_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362fii_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362fii	362fii	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@362g {#_362g .tabset}

362g

Distribution {#_362g_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_362g_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362g	362g	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@362h {#_362h .tabset}

362h

Distribution {#_362h_distribution}

Code

Code



Code

26 missing values.

Summary statistics {#_362h_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@362h	362h	numeric	26	151	177	0.099	0.3	0	0	0	0	1		F1.0	12

Code

Code

Code


@37a {#_37a .tabset}

37a

Distribution {#_37a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_37a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@37a	37a	numeric	25	152	177	0.099	0.3	0	0	0	0	1		F1.0	12

Code

Code

Code


@37bi {#_37bi .tabset}

37bi

Distribution {#_37bi_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_37bi_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@37bi	37bi	numeric	25	152	177	0.24	0.43	0	0	0	0	1		F1.0	12

Code

Code

Code


@37bii {#_37bii .tabset}

37bii

Distribution {#_37bii_distribution}

Code

Code



Code

28 missing values.

Summary statistics {#_37bii_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@37bii	37bii	numeric	28	149	177	0.26	0.44	0	0	0	1	1		F1.0	12

Code

Code

Code


@37c {#_37c .tabset}

37c

Distribution {#_37c_distribution}

Code

Code



Code

26 missing values.

Summary statistics {#_37c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@37c	37c	numeric	26	151	177	0.033	0.18	0	0	0	0	1		F1.0	12

Code

Code

Code


@38a {#_38a .tabset}

38a

Distribution {#_38a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_38a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@38a	38a	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0	12

Code

Code

Code


@38b {#_38b .tabset}

38b

Distribution {#_38b_distribution}

Code

Code



Code

132 missing values.

Summary statistics {#_38b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@38b	38b	numeric	132	45	177	0.044	0.21	0	0	0	0	1		F1.0	12

Code

Code

Code


@39a {#_39a .tabset}

39a

Distribution {#_39a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_39a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@39a	39a	numeric	25	152	177	0.086	0.28	0	0	0	0	1		F1.0	12

Code

Code

Code


@39b {#_39b .tabset}

39b

Distribution {#_39b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_39b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@39b	39b	numeric	25	152	177	0.072	0.26	0	0	0	0	1		F1.0	12

Code

Code

Code


@39c {#_39c .tabset}

39c

Distribution {#_39c_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_39c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@39c	39c	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@39d {#_39d .tabset}

39d

Distribution {#_39d_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_39d_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@39d	39d	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@39e {#_39e .tabset}

39e

Distribution {#_39e_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_39e_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@39e	39e	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@39f {#_39f .tabset}

39f

Distribution {#_39f_distribution}

Code

Code



Code

30 missing values.

Summary statistics {#_39f_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@39f	39f	numeric	30	147	177	0.014	0.12	0	0	0	0	1		F1.0	12

Code

Code

Code


@39g {#_39g .tabset}

39g

Distribution {#_39g_distribution}

Code

Code



Code

118 missing values.

Summary statistics {#_39g_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@39g	39g	numeric	118	59	177	0.017	0.13	0	0	0	0	1		F1.0	12

Code

Code

Code


@401ai {#_401ai .tabset}

401ai

Distribution {#_401ai_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_401ai_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@401ai	401ai	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@401aii {#_401aii .tabset}

401aii

Distribution {#_401aii_distribution}

Code

Code



25 missing values.


Summary statistics {#_401aii_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@401aii	401aii	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@401bi {#_401bi .tabset}

401bi

Distribution {#_401bi_distribution}



Code

25 missing values.

Summary statistics {#_401bi_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@401bi	401bi	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

Code

Code

Code


@401bii {#_401bii .tabset}

401bii

Distribution {#_401bii_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_401bii_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@401bii	401bii	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

Code

Code

Code


@403a {#_403a .tabset}

403a

Distribution {#_403a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_403a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@403a	403a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

Code

Code

Code


@403b {#_403b .tabset}

403b

Distribution {#_403b_distribution}

Code

Code



25 missing values.


Summary statistics {#_403b_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@403b	403b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@403c {#_403c .tabset}

403c

Distribution {#_403c_distribution}



25 missing values.


Summary statistics {#_403c_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@403c	403c	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@411a {#_411a .tabset}

411a

Distribution {#_411a_distribution}



Code

25 missing values.

Summary statistics {#_411a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@411a	411a	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0	12

Code

Code

Code


@411b {#_411b .tabset}

411b

Distribution {#_411b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_411b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@411b	411b	numeric	25	152	177	0.059	0.24	0	0	0	0	1		F1.0	12

Code

Code

Code


@412a {#_412a .tabset}

412a

Distribution {#_412a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_412a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@412a	412a	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@412b {#_412b .tabset}

412b

Distribution {#_412b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_412b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@412b	412b	numeric	25	152	177	0.16	0.37	0	0	0	0	1		F1.0	12

Code

Code

Code


@413a {#_413a .tabset}

413a

Distribution {#_413a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_413a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@413a	413a	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code

Code


@413b {#_413b .tabset}

413b

Distribution {#_413b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_413b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@413b	413b	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0	12

Code

Code


Code

@421 {#_421 .tabset}

Distribution {#_421_distribution}

Code

Code



25 missing values.


Summary statistics {#_421_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@421	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

@422b {#_422b .tabset}

422b

Distribution {#_422b_distribution}



Code

25 missing values.

Summary statistics {#_422b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@422b	422b	numeric	25	152	177	0.18	0.38	0	0	0	0	1		F1.0	12

Code

Code

Code


@422c {#_422c .tabset}

422c

Distribution {#_422c_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_422c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@422c	422c	numeric	25	152	177	0.22	0.42	0	0	0	0	1		F1.0	12

Code

Code

Code


@422d {#_422d .tabset}

422d

Distribution {#_422d_distribution}

Code

Code



Code

26 missing values.

Summary statistics {#_422d_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@422d	422d	numeric	26	151	177	0.14	0.35	0	0	0	0	1		F1.0	12

Code

Code


Code

@431 {#_431 .tabset}

Distribution {#_431_distribution}

Code

Code



Code

26 missing values.

Summary statistics {#_431_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@431	numeric	26	151	177	0.2	0.4	0	0	0	0	1		F1.0	12

Code

Code


Code

@441 {#_441 .tabset}

Distribution {#_441_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_441_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@441	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@442ai {#_442ai .tabset}

442ai

Distribution {#_442ai_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_442ai_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@442ai	442ai	numeric	25	152	177	0.17	0.38	0	0	0	0	1		F1.0	12

Code

Code

Code


@442aii {#_442aii .tabset}

442aii

Distribution {#_442aii_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_442aii_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@442aii	442aii	numeric	25	152	177	0.16	0.37	0	0	0	0	1		F1.0	12

Code

Code

Code


@442b {#_442b .tabset}

442b

Distribution {#_442b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_442b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@442b	442b	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0	12

Code

Code


Code

@451 {#_451 .tabset}

Distribution {#_451_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_451_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@451	numeric	25	152	177	0.099	0.3	0	0	0	0	1		F1.0	12

Code

Code

Code


@452a {#_452a .tabset}

452a

Distribution {#_452a_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_452a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@452a	452a	numeric	25	152	177	0.033	0.18	0	0	0	0	1		F1.0	12

Code

Code

Code


@452b {#_452b .tabset}

452b

Distribution {#_452b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_452b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@452b	452b	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0	12

Code

Code

Code


@464a {#_464a .tabset}

464a

Distribution {#_464a_distribution}

Code

Code



25 missing values.


Summary statistics {#_464a_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@464a	464a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@47a {#_47a .tabset}

47a

Distribution {#_47a_distribution}



Code

25 missing values.

Summary statistics {#_47a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@47a	47a	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0	12

Code

Code

Code


@47b {#_47b .tabset}

47b

Distribution {#_47b_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_47b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@47b	47b	numeric	25	152	177	0.11	0.32	0	0	0	0	1		F1.0	12

Code

Code

Code


@47c {#_47c .tabset}

47c

Distribution {#_47c_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_47c_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@47c	47c	numeric	25	152	177	0.14	0.35	0	0	0	0	1		F1.0	12

Code

Code

Code


@47e {#_47e .tabset}

47e

Distribution {#_47e_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_47e_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@47e	47e	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0	12

Code

Code

Code


@47f {#_47f .tabset}

47f

Distribution {#_47f_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_47f_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@47f	47f	numeric	25	152	177	0.053	0.22	0	0	0	0	1		F1.0	12

Code

Code


Code

@48 {#_48 .tabset}

Distribution {#_48_distribution}

Code

Code




25 missing values.

Summary statistics {#_48_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@48	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@49 {#_49 .tabset}

Distribution {#_49_distribution}



Code

25 missing values.

Summary statistics {#_49_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@49	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code


Code

@50 {#_50 .tabset}

Distribution {#_50_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_50_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@50	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code


Code

@511 {#_511 .tabset}

Distribution {#_511_distribution}

Code

Code




25 missing values.

Summary statistics {#_511_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@511	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@521 {#_521 .tabset}

Distribution {#_521_distribution}



25 missing values.


Summary statistics {#_521_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@521	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@522a {#_522a .tabset}

522a

Distribution {#_522a_distribution}



25 missing values.


Summary statistics {#_522a_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@522a	522a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@522b {#_522b .tabset}

522b

Distribution {#_522b_distribution}




25 missing values.

Summary statistics {#_522b_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@522b	522b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@523 {#_523 .tabset}

Distribution {#_523_distribution}



Code

25 missing values.

Summary statistics {#_523_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@523	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0	12

Code

Code


Code

@531 {#_531 .tabset}

Distribution {#_531_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_531_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@531	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code


Code

@532 {#_532 .tabset}

Distribution {#_532_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_532_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@532	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code


Code

@542 {#_542 .tabset}

Distribution {#_542_distribution}

Code

Code



Code

25 missing values.

Summary statistics {#_542_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@542	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code

Code


@543a {#_543a .tabset}

543a

Distribution {#_543a_distribution}

Code

Code



25 missing values.


Summary statistics {#_543a_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@543a	543a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@548a {#_548a .tabset}

548a

Distribution {#_548a_distribution}



Code

25 missing values.

Summary statistics {#_548a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@548a	548a	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code


Code

@55 {#_55 .tabset}

Distribution {#_55_distribution}

Code

Code



25 missing values.


Summary statistics {#_55_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@55	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

@562a {#_562a .tabset}

562a

Distribution {#_562a_distribution}



Code

25 missing values.

Summary statistics {#_562a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@562a	562a	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code


Code

@564 {#_564 .tabset}

Distribution {#_564_distribution}

Code

Code



Code

168 missing values.

Summary statistics {#_564_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@564	numeric	168	9	177	0.33	0.5	0	0	0	1	1		F1.0	12

Code

Code


Code

@565 {#_565 .tabset}

Distribution {#_565_distribution}

Code

Code



25 missing values.


Summary statistics {#_565_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@565	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@571a {#_571a .tabset}

571a

Distribution {#_571a_distribution}



25 missing values.


Summary statistics {#_571a_summary}

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@571a	571a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@571b {#_571b .tabset}

571b

Distribution {#_571b_distribution}



Code

25 missing values.

Summary statistics {#_571b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@571b	571b	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0	12

Code

Code


Code

@572 {#_572 .tabset}

Distribution {#_572_distribution}

Code

Code




25 missing values.

Summary statistics {#_572_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@572	numeric	25	152	177	0	0	0	0	0	0	0		F1.0	12

@58 {#_58 .tabset}

Distribution {#_58_distribution}




26 missing values.

Summary statistics {#_58_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@58	numeric	26	151	177	0.013	0.11	0	0	0	0	1		F1.0	12

@591 {#_591 .tabset}

Distribution {#_591_distribution}



Code

25 missing values.

Summary statistics {#_591_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@591	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0	12

Code

Code


Code

@71 {#_71 .tabset}

Distribution {#_71_distribution}

Code

Code



151 missing values.


Summary statistics {#_71_summary}

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@71	numeric	151	26	177	0	0	0	0	0	0	0		F1.0	12

@72a {#_72a .tabset}

72a

Distribution {#_72a_distribution}



Code

151 missing values.

Summary statistics {#_72a_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@72a	72a	numeric	151	26	177	0.038	0.2	0	0	0	0	1		F1.0	12

Code

Code

Code


@72b {#_72b .tabset}

72b

Distribution {#_72b_distribution}

Code

Code



Code

151 missing values.

Summary statistics {#_72b_summary}

Code

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@72b	72b	numeric	151	26	177	0.038	0.2	0	0	0	0	1		F1.0	12

Code

Code


Code

@731 {#_731 .tabset}

Distribution {#_731_distribution}

Code

Code



Code

151 missing values.

Summary statistics {#_731_summary}

Code

name	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	format.spss	display_width
@731	numeric	151	26	177	0.12	0.33	0	0	0	0	1		F1.0	12

Code

Code

Code


HILO

Distribution

Summary statistics

Code

Code



Code

97 missing values.

Missingness report

Code

description<chr>	Facility<dbl>	T...<dbl>	TotalNC<dbl>	A...<dbl>	@...<dbl>	@...<dbl>	@...<dbl>	@81...<dbl>	
Missing values per variable	25	25	25	25	25	25	25	25	
Missing values in 138 variables	0	0	0	0	0	0	0	0	
Missing values in 8 variables	1	1	1	1	1	1	1	1	
Missing values in 7 variables	1	1	1	1	1	1	1	1	
Missing values in 8 variables	1	1	1	1	1	1	1	1	
Missing values in 6 variables	1	1	1	1	1	1	1	1	
Missing values in 7 variables	1	1	1	1	1	1	1	1	
Missing values in 7 variables	1	1	1	1	1	1	1	1	
Missing values in 6 variables	1	1	1	1	1	1	1	1	
Missing values in 9 variables	1	1	1	1	1	1	1	1	
1-10 of 25 rows 1-9 of 141 columns									
					Previous	1	2	3	Next

Code

Codebook table

Code

Copy

CSV

Excel

PDF

Print

Search:

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	fon
Variables														
Missingness report		A		/									All	A
Codebook table														
Facility		numeric	25	152	177	1101992.82	3551.66	1100001	1100285.5	1100561	1101445.5	1117376		F7.0
Type		numeric	25	152	177	1.35	0.76	1	1	1	1	3		F1.0
TotalNC	Total NC	numeric	25	152	177	5.28	5.97	0	1.75	3	7	32		F2.0
A10		numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@81a	81a	numeric	25	152	177	0.15	0.36	0	0	0	0	1		F1.0
@81b	81b	numeric	25	152	177	0.31	0.46	0	0	0	1	1		F1.0
@81c	81c	numeric	25	152	177	0.14	0.35	0	0	0	0	1		F1.0
@81def	81def	numeric	25	152	177	0.14	0.35	0	0	0	0	1		F1.0
@111a1	111a1	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@111b	111b	numeric	29	148	177	0.047	0.21	0	0	0	0	1		F1.0
@113		numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@14a	14a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@14b	14b	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@15a	15a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@15b	15b	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@16		numeric	25	152	177	0.033	0.18	0	0	0	0	1		F1.0
@17		numeric	26	151	177	0.06	0.24	0	0	0	0	1		F1.0
@18a	18a	numeric	29	148	177	0	0	0	0	0	0	0		F1.0
@18b	18b	numeric	29	148	177	0.0068	0.082	0	0	0	0	1		F1.0
@18c	18c	numeric	29	148	177	0.027	0.16	0	0	0	0	1		F1.0
@19		numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@201		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@202		numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0
@21a	21a	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@21b	21b	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@221		numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@222		numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@23		numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@241		numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@242a	242a	numeric	25	152	177	0.18	0.38	0	0	0	0	1		F1.0
@242b	242b	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	fon
Variables														
Missingness report														
Codebook table														
@25a	25a	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0
@25b	25b	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@26a	26a	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@26b	26b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@271a	271a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@271b	271b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@271c	271c	numeric	25	152	177	0.053	0.22	0	0	0	0	1		F1.0
@272		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@28a	28a	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0
@28b	28b	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0
@28c	28c	numeric	87	90	177	0.011	0.11	0	0	0	0	1		F1.0
@28d	28d	numeric	26	151	177	0.02	0.14	0	0	0	0	1		F1.0
@29a	29a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@29b	29b	numeric	25	152	177	0.059	0.24	0	0	0	0	1		F1.0
@30		numeric	25	152	177	0.17	0.38	0	0	0	0	1		F1.0
@31		numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@32		numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0
@33a	33a	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@33b	33b	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0
@34a	34a	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@34b	34b	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@34c	34c	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@351		numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@361a	361a	numeric	25	152	177	0.033	0.18	0	0	0	0	1		F1.0
@361b	361b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@362a	362a	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@362bi	362bi	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@362bii	362bii	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@362biii	362biii	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0
@362c	362c	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@362d	362d	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	fon
Variables														
Missingness report														
Codebook table														
@362e	362e	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@362fi	362fi	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@362fii	362fii	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@362g	362g	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@362h	362h	numeric	26	151	177	0.099	0.3	0	0	0	0	1		F1.0
@37a	37a	numeric	25	152	177	0.099	0.3	0	0	0	0	1		F1.0
@37bi	37bi	numeric	25	152	177	0.24	0.43	0	0	0	0	1		F1.0
@37bii	37bii	numeric	28	149	177	0.26	0.44	0	0	0	1	1		F1.0
@37c	37c	numeric	26	151	177	0.033	0.18	0	0	0	0	1		F1.0
@38a	38a	numeric	25	152	177	0.039	0.2	0	0	0	0	1		F1.0
@38b	38b	numeric	132	45	177	0.044	0.21	0	0	0	0	1		F1.0
@39a	39a	numeric	25	152	177	0.086	0.28	0	0	0	0	1		F1.0
@39b	39b	numeric	25	152	177	0.072	0.26	0	0	0	0	1		F1.0
@39c	39c	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@39d	39d	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@39e	39e	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@39f	39f	numeric	30	147	177	0.014	0.12	0	0	0	0	1		F1.0
@39g	39g	numeric	118	59	177	0.017	0.13	0	0	0	0	1		F1.0
@401ai	401ai	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@401aai	401aai	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@401bi	401bi	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@401bii	401bii	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@403a	403a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@403b	403b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@403c	403c	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@411a	411a	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0
@411b	411b	numeric	25	152	177	0.059	0.24	0	0	0	0	1		F1.0
@412a	412a	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@412b	412b	numeric	25	152	177	0.16	0.37	0	0	0	0	1		F1.0
@413a	413a	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@413b	413b	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	fon
Variables														
Missingness report														
Codebook table														
@421		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@422b	422b	numeric	25	152	177	0.18	0.38	0	0	0	0	1		F1.0
@422c	422c	numeric	25	152	177	0.22	0.42	0	0	0	0	1		F1.0
@422d	422d	numeric	26	151	177	0.14	0.35	0	0	0	0	1		F1.0
@431		numeric	26	151	177	0.2	0.4	0	0	0	0	1		F1.0
@441		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@442ai	442ai	numeric	25	152	177	0.17	0.38	0	0	0	0	1		F1.0
@442aii	442aii	numeric	25	152	177	0.16	0.37	0	0	0	0	1		F1.0
@442b	442b	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0
@451		numeric	25	152	177	0.099	0.3	0	0	0	0	1		F1.0
@452a	452a	numeric	25	152	177	0.033	0.18	0	0	0	0	1		F1.0
@452b	452b	numeric	25	152	177	0.02	0.14	0	0	0	0	1		F1.0
@464a	464a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@47a	47a	numeric	25	152	177	0.046	0.21	0	0	0	0	1		F1.0
@47b	47b	numeric	25	152	177	0.11	0.32	0	0	0	0	1		F1.0
@47c	47c	numeric	25	152	177	0.14	0.35	0	0	0	0	1		F1.0
@47e	47e	numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0
@47f	47f	numeric	25	152	177	0.053	0.22	0	0	0	0	1		F1.0
@48		numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@49		numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@50		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@511		numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@521		numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@522a	522a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@522b	522b	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@523		numeric	25	152	177	0.026	0.16	0	0	0	0	1		F1.0
@531		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@532		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@542		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@543a	543a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@548a	548a	numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0

name	label	data_type	missing	complete	n	mean	sd	p0	p25	p50	p75	p100	hist	fon
Variables														
Missingness report														
Codebook table														
@55		numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@562a	562a	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@564		numeric	168	9	177	0.33	0.5	0	0	0	1	1		F1.0
@565		numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@571a	571a	numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@571b	571b	numeric	25	152	177	0.0066	0.081	0	0	0	0	1		F1.0
@572		numeric	25	152	177	0	0	0	0	0	0	0		F1.0
@58		numeric	26	151	177	0.013	0.11	0	0	0	0	1		F1.0
@591		numeric	25	152	177	0.013	0.11	0	0	0	0	1		F1.0
@71		numeric	151	26	177	0	0	0	0	0	0	0		F1.0
@72a	72a	numeric	151	26	177	0.038	0.2	0	0	0	0	1		F1.0
@72b	72b	numeric	151	26	177	0.038	0.2	0	0	0	0	1		F1.0
@731		numeric	151	26	177	0.12	0.33	0	0	0	0	1		F1.0
HILO		numeric	97	80	177	0.53	0.5	0	0	1	1	1		F8.2

Showing 1 to 138 of 138 entries

Previous 1 Next

Code

► JSON-LD metadata