

# **Empirical Modeling of the Uncertainty-Certainty Matrix (UCM) Using a Modified Signal Detection Framework in Obsessive-Compulsive Disorder: The OCD/UCM Coefficient**

**Richard Fiene PhD**

**Penn State Edna Bennett Pierce Prevention Research Center**

**July 2026**

## **Abstract**

This paper introduces a novel decision-making metric, the OCD/UCM Coefficient, designed to mathematically operationalize the "evidence gap" in Obsessive-Compulsive Disorder (OCD). While traditional models of OCD focus qualitatively on the intolerance of uncertainty, this framework utilizes a modified Signal Detection Theory (SDT) paradigm to isolate subjective response bias from baseline perceptual sensitivity. By evaluating an individual's decision-making thresholds under varying levels of stimulus ambiguity, the OCD/UCM Coefficient quantifies the exact volume of objective safety data required to correct a subjective feeling of threat. It demonstrates that a pathological shift in response criterion ( $c$ ) directly covaries with a negative coefficient, mathematically capturing the threat-avoidance "pathological lock" characteristic of OCD. This metric offers researchers and clinicians a standardized, quantitative method to track therapeutic progress and cognitive-behavioral shifts.

## **Introduction**

Obsessive-Compulsive Disorder (OCD) is characterized clinically by persistent, intrusive thoughts (obsessions) and repetitive physical or mental acts (compulsions) designed to mitigate distress. At the core of OCD's cognitive pathology lies a profound intolerance of uncertainty and an asymmetric "evidence gap"—a subjective state wherein an individual requires an extraordinary, often unattainable volume of objective data to neutralize an internal feeling of risk or error.

In classical cognitive-behavioral models, this phenomenon is described qualitatively. However, to advance the empirical evaluation of OCD treatments, we must mathematically operationalize how individuals navigate threat and safety under ambiguous conditions. This paper proposes the Uncertainty-Certainty Matrix (UCM) as a conceptual framework

(3), bridged with the mathematical rigor of Signal Detection Theory (SDT), to quantify response biases in clinical populations (1)(2)(4)(5)(6).

**The Threat-Detection Paradigm**

To isolate and measure these cognitive biases, we propose a computerized laboratory task where participants are presented with a series of ambiguous visual stimuli (e.g., a visual gauge representing an environmental asset, such as an oven temperature dial). Across multiple trials, the signal-to-noise ratio of the gauge is manipulated to introduce varying levels of ambiguity.

To align this framework with standard psychological literature, the trial parameters are defined as follows (See Table 1):

- **Target Signal (Danger):** The gauge is objectively in an unsafe or faulty state ( $S_+$ ).
- **Noise State (Safety):** The gauge is objectively in a safe or correct state ( $S_-$ ).
- **Subjective Response (+):** The participant declares the system "Unsafe" (Threat detected).
- **Subjective Response (-):** The participant declares the system "Safe" (Threat dismissed).

**Table 1: Standardized Uncertainty-Certainty Matrix (UCM)(3)**

|                                            | Subjective Response (-)"Safe"                                   | Subjective Response (+)"Unsafe"                              |
|--------------------------------------------|-----------------------------------------------------------------|--------------------------------------------------------------|
| Noise State ( $S_-$ )<br>Objective Safety  | True Negative (TN)<br><i>Certainty Axis (Correct Rejection)</i> | False Positive (FP)<br><i>Uncertainty Axis (False Alarm)</i> |
| Signal State ( $S_+$ )<br>Objective Danger | False Negative (FN)<br><i>Uncertainty Axis (Miss)</i>           | True Positive (TP)<br><i>Certainty Axis (Hit)</i>            |

**Primary Signal Detection Metrics & Mathematical Formalization**

Standard SDT separates an individual's ability to discriminate between safety and danger from their overall willingness to report a threat. The behavioral responses are converted into standard rates:

- **Hit Rate ( $H$ ):** The probability of correctly identifying danger when danger is present.

$$H = \frac{TP}{TP + FN}$$

- **False Alarm Rate ( $F$ ):** The probability of misidentifying safety as danger.

$$F = \frac{FP}{TN + FP}$$

From these rates, we derive baseline perceptual sensitivity ( $d'$ ) and response criterion ( $c$ ) using standard normal distributions ( $Z$ -scores):

$$d' = Z(H) - Z(F)$$

$$c = -0.5 \times [Z(H) + Z(F)]$$

### The OCD/UCM Coefficient

While  $d'$  and  $c$  are standard, they do not directly model the specific "evidence gap" regarding safe trials—where OCD-related doubt predominantly manifests. We introduce the **OCD/UCM Coefficient**, defined in standard SDT terms as:

$$OCD/UCM = TN - FP$$

Where:

- $TN$  represents correct rejections of threat (comfort on safe trials).
- $FP$  represents false alarms (hyper-vigilance/threat-reporting on safe trials).

### Mathematical Bridge to Criterion ( $c$ )

To prove that this coefficient directly reflects response criterion ( $c$ ) rather than perceptual sensitivity ( $d'$ ), we examine the subset of objectively safe trials, defined as  $N_- = TN + FP$ .

We can express True Negatives as:

$$TN = N_- - FP$$

Substituting this into the OCD/UCM Coefficient formula:

$$OCD/UCM = (N_- - FP) - FP = N_- - 2FP$$

Normalizing the coefficient by the total number of safety trials ( $N_-$ ) yields:

$$\frac{OCD/UCM}{N_-} = 1 - 2 \left( \frac{FP}{N_-} \right)$$

Because  $F = \frac{FP}{N_-}$  (False Alarm rate), the normalized coefficient simplifies directly to:

$$\frac{OCD/UCM}{N_-} = 1 - 2F$$

This proof demonstrates that the normalized OCD/UCM Coefficient is a direct linear transformation of the False Alarm rate ( $F$ ). Since  $F$  is a primary driver of the criterion shifts ( $c$ ), our metric mathematically maps onto response bias independent of sensory discriminability ( $d'$ ).

### **Clinical and Behavioral Interpretation**

The mathematical behavior of the normalized OCD/UCM Coefficient directly corresponds to distinct clinical profiles:

#### ***Optimal Calibration (Healthy Cohorts)***

In non-clinical populations, individuals maintain a balanced or conservative response criterion ( $c \geq 0$ ), successfully minimizing false alarms ( $F \rightarrow 0$ ). Under these conditions:

$$\frac{OCD/UCM}{N_-} \rightarrow 1$$

This positive value represents a healthy "Certainty Axis" performance, where internal perception accurately matches objective safe reality.


#### ***The Pathological Lock (OCD Cohorts)***

In threat-avoidance disorders like OCD, individuals exhibit a hyper-liberal response bias to prevent the catastrophic cost of a "Miss" (False Negative). As the threshold for reporting danger drops, the False Alarm rate inflates dramatically ( $F > 0.5$ ). This causes the standard criterion ( $c$ ) to shift downward into negative values, while simultaneously forcing the normalized OCD/UCM Coefficient below 0:

$$\frac{OCD/UCM}{N_-} < 0$$

This negative coefficient mathematically defines the "**Pathological Lock**". The patient is trapped in the False Positive cell of the matrix, incapable of registering objective safety due to an asymmetric evidence requirement (See Figure 1).

**Figure 1: Response Bias Shift in OCD**



### **Clinical Applications and Psychoeducation**

Beyond its utility as an empirical research metric, the UCM framework acts as a powerful psychoeducational bridge during clinical interventions such as Exposure and Response Prevention (ERP) (See Appendix: Table 2: *The OCD Mind and the Reality Matrix*).

#### ***"Feelings Are Not Facts"***

The matrix visually and mathematically demonstrates to the patient that their intense internal distress during an obsession is a consequence of a shifting response bias ( $c$ ), rather than a change in objective reality ( $S_-$ ). By externalizing the "danger alarm" as a high False Alarm rate ( $F$ ), patients are encouraged to:

- Identify obsessive doubts as "uncertainty axis" errors rather than actual signals of danger.
- Tolerate the discomfort of a False Positive without executing compulsions (neutralizing behaviors).
- Track their own therapeutic progress quantitatively, observing their individual OCD/UCM Coefficient migrate from a negative "pathological lock" back toward a healthy, positive coefficient of 1.

## References

1. Belloch, A., Fornés, G., Carrasco, A., López-Solá, C., Alonso, P., & Menchón, J. M. (2016). Incompleteness and not just right experiences in the explanation of Obsessive-Compulsive Disorder. *Psychiatry Research*, 236, 1-8. <https://doi.org/10.1016/j.psychres.2016.01.012>
2. Carroll, I. C., Planalp, E. M., Van Hulle, C. A., & Goldsmith, H. H. (2019). Peer victimization and selective attention in adolescence: Evidence from a monozygotic twin difference design. *Journal of Abnormal Child Psychology*, 47(8), 1303-1313. <https://doi.org/10.1007/s10802-019-00516-7>
3. Fiene, R. (2025). Uncertainty-Certainty Matrix. *Knowledge Journal*, 5(2), 8. <https://doi.org/10.3390/knowledge5020008>
4. Horncastle, T., Ludlow, A. K., & Gutierrez, R. (2022). Not just right experiences and incompleteness as a predictor of Obsessive-Compulsive symptoms in clinical and community samples: A meta-analysis. *Journal of Obsessive-Compulsive and Related Disorders*, 35, 100762. <https://doi.org/10.1016/j.jocrd.2022.100762>
5. Irwin, L. D., & Jones, M. K. (2017). The relationship between obsessive-compulsive symptoms, perfectionism, and anxiety sensitivity for not just right experiences. *Behaviour Change*, 34(2), 134-155. <https://doi.org/10.1017/bec.2017.10>
6. Kertzman, S. G., Poyurovski, M., Faragian, S., Weizman, R., Cohen, K., Aizer, A., Weizman, A., & Dannon, P. N. (2018). Distinct response inhibition patterns in Obsessive-Compulsive Disorder patients and pathological gamblers. *Frontiers in Psychiatry*, 9, 652. <https://doi.org/10.3389/fpsy.2018.00652>

## Appendix: The OCD Mind & The Reality Matrix

### *A Friendly Guide to Understanding How OCD Rewires Our Perception of Safety and Danger*

Obsessive-Compulsive Disorder (OCD) and the Uncertainty-Certainty Matrix (UCM)(3) explain a common glitch in how our brains process threats. Often, OCD tricks us into feeling completely unsafe when we are perfectly secure, trapping us in a cycle of overthinking. This matrix maps the difference between Objective Reality and our Internal Feelings.

**Table 2: The Perception vs. Reality Matrix**

|                                                        | <b>SELF (-)Feeling "Safe" (Threat Dismissed)</b>                                                                                                                                                                                     | <b>SELF (+)Feeling "Unsafe" (Threat Detected)</b>                                                                                                                                                                                                                |
|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>REALITY (-)</b><br><br>Objective Safety<br>(Noise)  | <b>True Negative (TN)</b><br><br><i>Certainty Axis (Correct Rejection)</i><br><br><b>What it means:</b> Reality matches your feeling. The environment is objectively safe, and you feel comfortable and calm. No alarms are ringing. | <b>False Positive (FP)</b><br><br><i>Uncertainty Axis (False Alarm)</i><br><br><b>The OCD Zone:</b> The situation is safe, but your brain fires off an intense "danger" alarm. This creates crippling doubt and fuels compulsions to fix a non-existent problem. |
| <b>REALITY (+)</b><br><br>Objective Danger<br>(Signal) | <b>False Negative (FN)</b><br><br><i>Uncertainty Axis (Miss)</i><br><br><b>What it means:</b> There is actual danger, but you perceive it as safe. This is a rare, genuine mistake or blindspot in everyday life.                    | <b>True Positive (TP)</b><br><br><i>Certainty Axis (Hit)</i><br><br><b>What it means:</b> There is a real, legitimate threat, and your brain correctly flags it as unsafe so you can protect yourself logically.                                                 |

### Key Takeaways for Managing OCD

#### How to Use This Matrix to Reclaim Peace of Mind:

- **Recognize the "False Alarm" (False Positive):** When an obsessive thought strikes, remind yourself: *"My reality is safe (-), but my internal alarm is yelling unsafe (+). This is a False Alarm on my uncertainty axis."*
- **OCD Attacks the Uncertainty Axis:** OCD thrives on the two fields marked "Uncertainty." It hates that life cannot be 100% guaranteed and tries to force you to treat every safe situation like a hidden trap.
- **Feelings Are Not Facts:** Just because your brain is generating a powerful feeling of "unsafe" does not change the objective reality of the situation. You can sit with the uncomfortable feeling without needing to perform a compulsion to change reality.